



## Pyrocontrole, acknowledged know-how for long-term support

Pyrocontrole has been an acknowledged expert in the Nuclear industry for more than 50 years; designing and manufacturing temperature sensors compliance with the demanding standards for this harsh environment.

Alongside the energy suppliers, operators, builders, engineers, research institutes and nuclear safety authorities, Pyrocontrole has developed unique expertise, backed by comprehensive mastery of the qualification, production and control processes, acknowledged in France and worldwide.

## Reference standards, certifications and accreditations

QN100/QN200/QN300 | RCC-E | RCC-M | Code ASME | IEC 60751 | ISO 9001 | ISO 14001

# Support at every stage of your project

Alongside the energy suppliers, operators, builders, engineers, research institutes and nuclear safety authorities, Pyrocontrole has developed unique expertise, backed by comprehensive mastery of the qualification, production and control processes, acknowledged in France and worldwide.

## An exceptional quality approach

To meet the nuclear safety requirements, CA Pyrocontrole has set up a rigorous quality approach specific to this cutting- edge industry at all levels of its industrial organization:

- qualification and training of its teams,
- traceability of procurement,
- follow-up of suppliers,
- · control of the manufacturing processes,
- structured documentation
- fight against CFSI (Counterfeit, Fraudulent and Suspect Items).









**Chauvin Arnoux Energy**, a French company in the Chauvin Arnoux Group, meets the specific needs of the nuclear sector by contributing its experience built up over more than forty years.

From the design phase through to final inspection of the equipment, we entrust the manufacture of our products to our French factories, whose experience and qualification guarantee quality, reliability and durability.

Our flagship ranges of K3-qualified products for nuclear environments: auxiliary relays, analog panel meters and analog transducers.



Visit CA Energy at



# Reliability and performance at the heart of the power plant

At the strategic points in a nuclear installation – from the reactor building to the machine sets and the auxiliary buildings – our sensors are qualified to withstand the most extreme conditions in terms of radiation, earthquake, temperature and pressure, and enable you to check the temperature very reliably in all circumstances.

## **Operation**

Our K1, K2, K3, K3ad and NC qualified temperature sensors are installed on the PWR 900 MW, 1300 MW and N4 series in the 3rd generation and HUALONG EPR power plants.





## French know-how

Pyrocontrole proposes to meet your temperature measurement needs by contributing its extensive experience, acquired from the development of the very first French nuclear power plants through to the present day.

Equipment machining, assembly and testing are entrusted to experienced, qualified teams in order to guarantee quality and reliability.



## **Present worldwide**

Pyrocontrole relies on a solid sales and technical team in France and is present worldwide via the Chauvin Arnoux Group's ten international subsidiaries and its Export department.

#### References

EDF | FRAMATOME | FRAMATOME JEUMONT | NNB | MAN ENERGY SOLUTIONS | CELEROS CLYDE UNION | LEROY SOMER | LNE | CNAM-INM | CEA | SNEF POWER | SYSTEM | MIRION | ACTENIUM | EIFFAGE | SPIE

# Quality labels Evidence of Pyrocontrole's highprecision expertise is provided by its quality labels, its HAF 604, ISO 9001 and ISO 140001 certification, the Cofrac accreditation of its metrology laboratory (scope available on request) and the qualification of its sensors for the nuclear power industry.

# Qualified temperature sensors

**Surface sensors** 

(non-intrusively).

DT115

Our surface sensors are fitted on the essential safety systems, such as the safety valves, and measure the duct temperatures

## **Fast-response sensors**


# Their advanced technology ensures accurate, instantaneous temperature measurement in the primary loop, even when there are rapid variations. **DT034** Containment building Steam circuit BK spent-fuel tank Pressurise generator PRIMARY CIRCUIT Reactor Pompe IRWST tank of the reactor building

## **Pool sensors**

Our sensors are installed in the IRWST and BK tanks of EPR reactors. They are protected by a thermowell and are used to measure the temperature at the bottom of the pool.

DT114

# for pressurized water reactors



# Fast-response sensors DT034

- Mounted in a thermowell directly on the primary circuit and on the pump seals
- Fast response (< 3.7 sec. in nominal operating conditions)</li>
- Fitted on the N4, EPR and Hualong series
- K1 qualification according to RCC-E
- Shielded, single-piece design
- One 4-wire Pt100 element
- Temperature range: 0 / + 400 °C
- Test pressure: 250 bars
- Rex of 40 years and MTBF of 60 years





# **Sensors with standard response times DT108**

- Thermowell measurement or surface temperature measurement
- Fitted on the 900 MW, 1300 MW, N4 and EPR series
- Standard response time (< 120 sec. in nominal operating conditions)</li>
- K1 or K2 qualification according to RCC-E
- One 4-wire Pt100 element
- Temperature range: 0 / + 400 °C (depending on the variant)



## **DT088**

- Thermowell measurement, ambient measurement, measurement in ventilation ducts or explosive atmospheres
- Concrete tank
- Fitted on the 900 MW, 1300 MW, N4 and EPR series
- Standard response time (< 120 sec. in nominal operating conditions)</li>
- NC (normal conditions) or K3ad qualification according to RCC-E
- One 4-wire Pt100 element
- Temperature range: 50 / + 200 °C (depending on the variant)



# **Motor or pump-bearing sensors** DT110


- · Semi-rigid
- Mounted on the primary pump bearings of EPR reactors
- K1 qualification according to RCC-E
- One 4-wire Pt100 element
- Temperature range: 0 / + 150 °C

### **DT112**

- Mounted on the secondary pump bearings of EPR reactors
- NC or K3ad qualification according to RCC-E
- One 4-wire Pt100 element or two 3-wire Pt100 elements
- Temperature range: 0 / + 150 °C

# **Surface sensors DT115**

- Semi-rigid
- Mounted on the valves of the pressurizer or on the outer surface of ducts
- K2 qualification according to RCC-E
- One 4-wire Pt100 element
- Temperature range: + 35 / + 300 °C





## Pool sensors DT114

- Semi-rigid
- Mounted in a flanged thermowell on the IRWST and BK tanks of EPR reactors
- Length: 7500 mm or 9000 mm
- · K1 or K3ad qualification according to RCC-E
- One 4-wire Pt100 element
- Temperature range: 0 / + 160 °C

#### **Chauvin Arnoux GesmbH**

Gastgebgasse 27 AT-1230 Wien - Austria Tél.: +43 1 61 61 9 61 vie-office@chauvin-arnoux.at www.chauvin-arnoux.at

#### **CHINA Shanghai Pujiang Enerdis**

Instruments

#### Co Ltd

Gemdale Viseen Minhang Technilogy & Industrial Park Project 3 Floor, 23 Building 1288 Zhongchun RD, Minhang District Shanghai 201199 - China Tél.: +86 21 65 21 51 96 info@chauvin-arnoux.com.cn www.chauvin-arnoux.com

#### **GERMANY**

#### **Chauvin Arnoux GmbH**

Ohmstrasse 1 77694 Kehl / Rhein - Germany Tél.: +49 7851 99 26-0 info@chauvin-arnoux.de www.chauvin-arnoux.de

#### **ITALY AMRA**

Via Sant'Ambrogio, 23 20846 Macherio (MB) - Italia Tél.: +39 039 245 75 45 info@amra-chauvin-arnoux.it www.chauvin-arnoux.it

#### **MIDDLE EAST**

#### **Chauvin Arnoux Middle East**

PO Box 60-154 1241 2020 Beirut - Lebanon Tél.: +961 1 890 425 camie@chauvin-arnoux.com www.chauvin-arnoux.com

#### **SCANDINAVIA**

#### **CA Mätsystem AB**

Sjöflygvägen 35 SE-183 62 Taby -Sweden Tél.: +46 8 50 52 68 00 info@camatsystem.com www.camatsystem.com

#### **SPAIN**

#### Chauvin Arnoux Ibérica S.A.

C/ Roger de Flor n°293 - 1a Planta 08025 Barcelona - Spain Tél.: +34 902 20 22 26 comercial@chauvin-arnoux.es www.chauvin-arnoux.es

#### **SWITZERLAND Chauvin Arnoux AG**

Moosacherstrasse 15 8804 AU Zurich - Switzerland Tél.: +41 44 727 75 55 info@chauvin-arnoux.ch www.chauvin-arnoux.ch

#### **UNITED KINGDOM**

#### **Chauvin Arnoux Ltd**

Unit 1 Nelson Ct, Flagship Sq Shaw Cross Business Pk WF127 TH Dewsbury West Yorkshire - UK Tél.: +44 1924 460 494 info@chauvin-arnoux.co.uk www.chauvin-arnoux.com

#### USA

#### **Chauvin Arnoux Inc**

15 Faraday Drive NH 03820 Dover - USA Tél.: +1 (603) 749-6434 (Ext. 520) sales@aemc.com www.aemc.com

#### SCAN ME!



Visit Pyrocontrole at sur www.pyrocontrole.com

#### **Contact us**

Pyrocontrole 6 bis, avenue du Docteur Schweitzer 69881 MEYZIEU Cedex

+33 4 72 14 15 40

info@pyrocontrole.com











12-16, rue Sarah Bernhardt 92600 Asnières-sur-Seine Tél.: +33 1 44 85 44 85 info@chauvin-arnoux.fr www.chauvin-arnoux.fr











